

APPARATUS CHECK / EQUIPMENT MEASUREMENT

- Must be at least 18 years of age; female
- Must wear white top and black skirt/pants
- Duties include:
 1. Making sure that gymnastics apparatus used by each gymnast complies with the rules and regulations set forth by Gymnastics Canada and Gymnastics Ontario;
 2. Measuring BOTH apparatuses (original and replacement – if not provided by GO) BEFORE each gymnast routine. If there is any discrepancies, a default judging chit is to be completed and given immediately, after gymnast's routine, to the Judge Responsible;
 3. Must use GO measuring table and scale (provided by GO)
 4. Copy of apparatus specs provided by GO;
 5. Replacement apparatus around the floor area is authorized: The Organizing Committee may place a set of apparatus for the use of gymnast. The gymnast may only use a replacement apparatus which has been placed prior to the start of exercise.

PLEASE NOTE:

As per FIG rules, the apparatus is to be measured just before the gymnast enters the competition area. Any irregularities found with the apparatus to the coach and an apparatus judge chit will be filled to be sent to the Judge Responsible after completion of the routine. The said apparatus must remain in the custody of the apparatus judge until advised by the Judge Responsible. New FIG approved apparatus is not mandatory. If a replacement apparatus was used by the gymnast during a routine, that apparatus must also be measured.

Supplies:

- Job description / instruction sheet / volunteer badge
- Signs: “Apparatus must be measured BEFORE routine”, “Replacement apparatus must be placed by organizing club”
- Copy of rotation;
- GO measuring table / scale;
- Pen / pencil / markers
- Copy of apparatus specs;